

ROTONDA RING

Decorative LED Luminaire



DESCRIPTION

First impressions count, and ROTONDA in a foyer or conference room certainly provides that desired impact. The ROTONDA product family is at home in even the largest of rooms, thanks to its voluminous fabric shades in variety of different sizes. Whether as a group, or an individual feature, whether elegantly colored or strikingly bold, ROTONDA makes a strong statement.

Colored fabrics harmonize with each other. Thirty lamp shade colors are available as standard. All standard colors may be freely combined depending on the basic form, i.e. to match your corporate design. Customized versions with special colors and other fabrics can be made to order.

Shade and luminaire are ordered separately.

FEATURES

- Designed in Germany, assembled in USA
- Decorative luminaire series with multiple shade options - 30 standard shade colors
- Ring colors for the outside and inside can be mixed and matched - 900 color combinations
- Mounting options include surface, stem, and suspension



Date: _____ Type: _____ Catalog Number: _____

Project Name: _____

ORDERING INFORMATION

LUMINAIRE						
MODEL	DIAMETER	MOUNTING	CRI	CCT	CONTROL	VOLTAGE
RSY Rotonda Ring	650 650mm 26"	SF Surface	80 80 CRI	27K 2700K	ON-OFF On-Off	UNV 120-277v
	780 780mm 31"	ST Stem	90 90 CRI	30K 3000K	DIM 0-10v Dimming	
	1000 1000mm 39"	SP Suspended		35K 3500K		
				40K 4000K		

Custom options are available; consult factory for assistance via phone at (864) 487-3535 ext. 258 or via email at DesignServices@EXP-Brands.com.

SHADE			
DESIGN	DIAMETER	OUTSIDE COLOR	INSIDE COLOR
RSH-R2 Rotonda Ring Shade - Design R2 Symmetrical	650 650mm 26"	SEE CHART Page 3	SEE CHART Page 3
RSH-R3 Rotonda Ring Shade - Design R3 Beveled	780 780mm 31"		
	1000 1000mm 39"		



www.Nordeon-USA.com

For other Experience® Brands companies, please visit www.experiencebrandsusa.com.

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials. Technical specification sheets that appear on www.griven-usa.com are the most recent ones available. *Consult the factory to verify current status of BAA/TAA/BABAA compliance.

		RSY-650	RSY-780	RSY-1000
PHYSICAL	HOUSING	Single Piece Aluminum		
	SHADE	"Chintz" (Velvet/Rayon) Fabric Over Fine Matte Translucent Polycarbonate Film		
	DIAMETER	26"	31"	39"
	WEIGHT (pounds)	SURFACE: 6.4 STEM: 8.6 SUSPENDED: 8.4	SURFACE: 8.6 STEM: 11.0 SUSPENDED: 10.8	SURFACE: 11.5 STEM: 14.3 SUSPENDED: 13.7

ELECTRICAL	POWER (watts)	31	45	69
	CURRENT	0.26 amps at 120 volts 0.11 amps at 277 volts	0.38 amps at 120 volts 0.16 amps at 277 volts	0.58 amps at 120 volts 0.25 amps at 277 volts
	CONTROL	On/Off or 0-10V Dimming		

PHOTOMETRIC	LED	Static White 2700K, 3000K, 3500K, or 4000K		
	COLOR RENDERING INDEX	80 or 90		
	DISTRIBUTION	79% Direct; 21% Indirect		
	BEAM ANGLE	135°		
	LUMEN MAINTENANCE	L70 > 50,000 Hours at 77°F*		

LIGHT DISTRIBUTIONS	LUMINAIRE	LUMEN OUTPUT	EFFICACY (lm/w)
	RSY-650	2204	71
	RSY-780	3306	73
	RSY-1000	4408	64

Values based on full output.

CERTIFICATIONS	SAFETY	CSA Certified for Damp Locations	
	INGRESS PROTECTION	IP20	
	WARRANTY	Five Year Limited Warranty	

CUSTOMIZE YOUR EXPERIENCE.

At Experience Brands, we believe every space deserves unique lighting elements. We proudly specialize in crafting solutions that reflect your personal vision. Our expert team is here to collaborate with you to design and implement customized features that elevate your environment.

Ready to Get Started? Email us at: DesignServices@exp-brands.com

ROTONDA RING

Decorative LED Luminaire



SHADE COLOR OPTIONS

Swatches available upon request.



LI
Limestone Grey




UG
Urban Grey




MA
Maron



CA
Coffee



PW
Pure White



PG
Platinum Grey



CG
Carbon Grey



PB
Pure Black




CW
Classic White



NW
Natural White



LB
Light Beige



EB
Elegant Beige



DB
Dark Beige



SA
Sand




PR
Purple Rain



MB
Marina Blue



RB
Royal Blue



LBL
Light Blue



CB
Caribbean Blue



CR
Classic Red



LR
Royal Red



BR
Bordeaux Red



RR
Racing Red



FP
Fresh Pink



LP
Light Pink



PO
Poppy Orange



FO
Fresh Orange



LG
Lime Green



FG
Fresh Green



LM
Lemon


ROTONDA RING

Decorative LED Luminaire



DIMENSIONS

All dimensions are shown in inches unless otherwise noted.



RSY-650/ RSH-R2




RSY-780/ RSH-R2




RSY-1000/RSH-R2






RSY-650 / RSH-R3



RSY-780 / RSH-R3



RSY-1000 / RSH-R3



ROTONDA RING

Decorative LED Luminaire



PHOTOMETRICS

RSY-650

RSY-650-830_RSH-R2-650-PW-PW

Center Beam Candlepower 456


Beam (Degrees) 135

Direct Component 1,734

Indirect Component 470

Total Lumens 2,204

UGR (70/50/20; X=4H, Y=8H) 16.1



RSY-780

RSY-780-830_RSH-R2-780-PW-PW

Center Beam Candlepower 684


Beam (Degrees) 135

Direct Component 2,601

Indirect Component 705

Total Lumens 3,306

UGR (70/50/20; X=4H, Y=8H) 16.6



RSY-1000

RSY-1000-830_RSH-R2-1000-PW-PW

Center Beam Candlepower 912

Beam (Degrees) 135

Direct Component 3,467

Indirect Component 941

Total Lumens 4,408

UGR (70/50/20; X=4H, Y=8H) 16.2

