

TÜB 60 TECH

Suspended Linear Luminaire



DESCRIPTION

Tüb 60 excentuates interior architecural designs through it's curved linear form and sleek design. Luminaire is suspended from aircraft cable with a ceiling mounted canopy which can be painted independent to the luminaire for a uniquely custom design. Three lengths are available ranging from 2' 9" to 5' 6" alongside color temperatures of 2700K, 3000K, 3500K, and 4000K. Optical options include a traditional Opal Diffused Lens, Opal Comfort Diffused Lens, and Specialized Tech optics. Tüb 60 Tech includes a matte black reflector with a custom LED board which produce unparallelled uniform illumination that is comfortable even at eye level, making it suitable for contemporary restaurants, offices, and other hospitality venues. End Caps are available blank or with an embossed Lamp logo in 11 finish options for ultimate design configurability.



Date: _____ Type: _____ Catalog Number: _____

Project Name: _____

ORDERING INFORMATION

LUMINAIRE

MODEL	CANOPY	LUMINAIRE LENGTH	OUTPUT	CRI	CCT	CONTROL	VOLTAGE	OPTIC	FINISH	CANOPY FINISH	OPTION
TUB60-D Lamp Tüb 60 Direct	SF Surface Mounted Canopy & Driver Enclosure	2.8 2' 9"	SO Standard Output	90 90 CRI	27K 2700K	ON-OFF On/Off	UNV 120-277v	TECH Tech Optics	BL Black	BL Black	NEC No End Caps (Select When Ordering End Caps Separately; See Page 4 for Details)
		3.7 3' 8"			30K 3000K	DIM 0-10v Dimming			WH White	WH White	
		5.5 5' 6½"			35K 3500K				SB Signal Blue	SB Signal Blue	
					40K 4000K				OW Oyster White	OW Oyster White	
									GG Graphite Grey	GG Graphite Grey	
									TB Turquoise Blue	TB Turquoise Blue	
									SG Silver Grey	SG Silver Grey	
									SKB Sky Blue	SKB Sky Blue	
									GBRN Grey Brown	GBRN Grey Brown	
									VM Vermillion	VM Vermillion	
									DO Deep Orange	DO Deep Orange	

See Page 4 for ordering information of available accessories.

Custom solutions are available; consult factory for assistance via phone at (864) 487-3535 ext. 258

or via email at DesignServices@EXP-Brands.com.

EXPERIENCE
BRANDS


www.Nordeon-USA.com

For other Experience® Brands companies, please visit www.ExperienceBrandsUSA.com.

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials. Technical specification sheets that appear online are the most recent ones available. Consult the factory to verify current status of BAA/TAA/BABAA compliance.

TÜB 60 TECH

Suspended Linear Luminaire



TÜB 60 TECH		
PHYSICAL	HOUSING	Recycled Aluminum Extrusion
	LENS	Matte Black Reflector with Comfort Optics
	DRIVER LOCATION	Driver is Mounted to Ceiling in 11" Enclosure with Square J-Box Plate
	END CAP FINISH	White End Caps on White Luminaires, All Others Black; Standard End Caps Blank, Embossed LAMP Logo Available. See Page 4 for Ordering Information of Custom End Caps.
	MOUNTING	Mounted via 8' Adjustable Aircraft Suspension Cables (Included)
	DIMENSIONS	ø2.48" x 33" / 44" / 66½" L
	WEIGHT	Between 4.65 to 8.84 Pounds
	OPERATING TEMPERATURE	-40°F to 104°F (-40°C to 40°C)

ELECTRICAL	VOLTAGE	120-277 Volts
	CONTROL	On/Off, 0-10v Dimming
	CABLE FINISH	White Cable for White Luminaires; All Others Black

PHOTOMETRIC	LUMEN MAINTENANCE	L90 > 50,000 Hours at 77°F*
	UGR	< 16
	CRI	90 CRI
	TIGHTNESS OF BINNING	MacAdam 3-Step

LIGHT DISTRIBUTIONS	OPTIC	CCT	2.8'			3.7'			5.5'		
			LUMENS	WATTAGE	EFFICACY	LUMENS	WATTAGE	EFFICACY	LUMENS	WATTAGE	EFFICACY
	TECH	3000K	1263	14	92	1684	18	95	2526	27	95
Values based on full output.		4000K	1320	14	96	1760	18	99	2639	27	99


CERTIFICATIONS	SAFETY	CSA Certified
	INGRESS PROTECTION	IP20
	IMPACT RATING	IK07
	WARRANTY	Five Year Limited Warranty



* LED life may vary under actual field conditions due to external factors. Lifetime estimates are generated from actual testing in a controlled environment. Values are conservatively derived from those numbers.

DIMENSIONS

All dimensions are shown in inches unless otherwise noted. Side view shown.



CUSTOMIZE YOUR EXPERIENCE.

At Experience Brands, we believe every space deserves unique lighting elements. We proudly specialize in crafting solutions that reflect your personal vision. Our expert team is here to collaborate with you to design and implement customized features that elevate your environment.

Ready to Get Started? Email us at: DesignServices@exp-brands.com

ACCESSORIES

NOTE: Accessories are ordered and shipped separately from luminaire for field installation.
-XX* indicates a painted accessory. See bottom of page for painted accessory ordering information.



TUB60-XX**
End Cap

BL

Black

RAL 9011

WH

White

RAL 9010

SB

Signal Blue

RAL 5005

OW

Oyster White

RAL 1013

GB

Graphite Grey

RAL 7024

TB

Turquoise Blue

RAL 5018

SG

Silver Grey

RAL 7001

SKB

Sky Blue

S 1050-B10G

GBRN

Grey Brown

RAL 8019

VM

Vermillion

RAL 2002

DO

Deep Orange

RAL 2011

ORDERING INFORMATION

PAINTED ACCESSORIES		
MODEL	LOGO	FINISH (*-XX)
TUB60 Tub 60 End Cap (Quantity 1)	LEC End Cap with Lamp Logo	BL Black
	BEC Blank End Cap	WH White
		SB Signal Blue
		OW Oyster White
		GG Graphite Grey
		TB Turquoise Blue
		SG Silver Grey
		SKB Sky Blue
		GBRN Grey Brown
		VM Vermillion
		DO Deep Orange