

# ROTONDA ASYMMETRIC

Decorative LED Luminaire



## DESCRIPTION


First impressions count, and ROTONDA in a foyer or conference room certainly provides that desired impact. The ROTONDA product family is at home in even the largest of rooms, thanks to its voluminous fabric shades in variety of different sizes. Whether as a group, or an individual feature, whether elegantly colored or strikingly bold, ROTONDA makes a strong statement.

Colored fabrics harmonize with each other. Thirty lamp shade colors are available as standard. All standard colors may be freely combined depending on the basic form, i.e. to match your corporate design. Customized versions with special colors and other fabrics can be made to order.

Shade and luminaire are ordered separately.

## FEATURES

- Designed in Germany, assembled in USA
- Decorative luminaire series with multiple shade options - 30 standard shade colors
- Ring colors for the outside and inside can be mixed and matched - 900 color combinations
- Mounting options include surface, stem, suspension



Date: \_\_\_\_\_ Type: \_\_\_\_\_ Catalog Number: \_\_\_\_\_

Project Name: \_\_\_\_\_

## ORDERING INFORMATION

LUMINAIRE						
MODEL	DIAMETER	MOUNTING	CRI	CCT	CONTROL	VOLTAGE
RAS Rotonda Asymmetric	<b>650</b> 650mm   26"	<b>SF</b> Surface	<b>80</b> 80 CRI	<b>27K</b> 2700K	<b>ON-OFF</b> On-Off	<b>UNV</b> 120-277v
	<b>780</b> 780mm   31"	<b>ST</b> Stem	<b>90</b> 90 CRI	<b>30K</b> 3000K	<b>DIM</b> 0-10v Dimming	
	<b>1000</b> 1000mm   39"	<b>SP</b> Suspended		<b>35K</b> 3500K		
				<b>40K</b> 4000K		

Custom options are available; consult factory for assistance via phone at (864) 487-3535 ext. 258 or via email at DesignServices@EXP-Brands.com.

SHADE			
DESIGN	DIAMETER	OUTSIDE COLOR	INSIDE COLOR
RSH-AS Asymmetric Shade - 4½" Height	<b>650</b> 650mm   26"	<b>SEE CHART</b> Page 3	<b>SEE CHART</b> Page 3



[www.Nordeon-USA.com](http://www.Nordeon-USA.com)

For other Experience® Brands companies, please visit [www.experiencebrandsusa.com](http://www.experiencebrandsusa.com).

In a continuing effort to offer the best product possible, we reserve the right to change, without notice, specifications or materials. Technical specification sheets that appear on [www.griven-usa.com](http://www.griven-usa.com) are the most recent ones available. Consult the factory to verify current status of BAA/TAA/BABAA compliance.

# ROTONDA ASYMMETRIC

Decorative LED Luminaire



		RAS-650	RAS-780	RAS-1000
PHYSICAL	HOUSING	Single Piece Aluminum		
	SHADE	"Chintz" (Velvet/Rayon) Fabric Over Fine Matte Translucent Polycarbonate Film		
	DIMENSIONS	25 $\frac{1}{16}$ ", 30 $\frac{1}{16}$ ", or 39 $\frac{3}{16}$ " Diameter x 3 $\frac{1}{2}$ " Width		
	WEIGHT (pounds)	SURFACE: 6.8 STEM: 9.0 SUSPENDED: 8.8	SURFACE: 9.0 STEM: 11.4 SUSPENDED: 11.2	SURFACE: 11.9 STEM: 14.7 SUSPENDED: 14.1

ELECTRICAL	POWER (watts)	45	57	69
	CURRENT	0.38 amps at 120 volts 0.16 amps at 277 volts	0.48 amps at 120 volts 0.21 amps at 277 volts	0.58 amps at 120 volts 0.25 amps at 277 volts
	CONTROL	On/Off or 0-10V Dimming		

PHOTOMETRIC	LED	Static White 2700K, 3000K, 3500K, or 4000K		
	COLOR RENDERING INDEX	80 or 90		
	DISTRIBUTION	79% Direct; 21% Indirect		
	BEAM ANGLE	136°		
	LUMEN MAINTENANCE	L70 > 50,000 Hours at 77°F*		

LIGHT DISTRIBUTIONS	LUMINAIRE	DELIVERED LUMEN OUTPUT	EFFICACY (lm/w)
Values based on full output.	RAS-650	4040	90
	RAS-780	5170	91
	RAS-1000	6300	91

CERTIFICATIONS	SAFETY	CSA Certified for Damp Locations	
	INGRESS PROTECTION	IP20	
	WARRANTY	Five Year Limited Warranty	

## CUSTOMIZE YOUR EXPERIENCE.

At Experience Brands, we believe every space deserves unique lighting elements. We proudly specialize in crafting solutions that reflect your personal vision. Our expert team is here to collaborate with you to design and implement customized features that elevate your environment.

**Ready to Get Started?** Email us at: [DesignServices@exp-brands.com](mailto:DesignServices@exp-brands.com)

# ROTONDA ASYMMETRIC

Decorative LED Luminaire



## SHADE COLOR OPTIONS

Swatches available upon request.



**LI**  
Limestone Grey




**UG**  
Urban Grey




**MA**  
Maron



**CA**  
Coffee



**PW**  
Pure White



**PG**  
Platinum Grey



**CG**  
Carbon Grey



**PB**  
Pure Black



**CW**  
Classic White



**NW**  
Natural White



**LB**  
Light Beige



**EB**  
Elegant Beige



**DB**  
Dark Beige



**SA**  
Sand




**PR**  
Purple Rain



**MB**  
Marina Blue



**RB**  
Royal Blue



**LBL**  
Light Blue



**CB**  
Caribbean Blue



**CR**  
Classic Red



**LR**  
Royal Red



**BR**  
Bordeaux Red



**RR**  
Racing Red



**FP**  
Fresh Pink



**LP**  
Light Pink



**PO**  
Poppy Orange



**FO**  
Fresh Orange



**LG**  
Lime Green



**FG**  
Fresh Green



**LM**  
Lemon


# ROTONDA ASYMMETRIC

Decorative LED Luminaire




## DIMENSIONS


All dimensions are shown in inches unless otherwise noted.




RAS-650 / RSH-AS-650



RAS-780 / RSH-AS-780



RAS-1000 / RSH-AS-1000



# ROTONDA ASYMMETRIC

Decorative LED Luminaire



## PHOTOMETRICS

### RAS-650

RAS-650-830\_RSH-AS-650-PW-PW

Beam (Degrees) 136


Spacing Criterion 1.40

Direct Component 3,178

Indirect Component 862

**Total Lumens 4,040**

UGR (70/50/20; X=4H, Y=8H) 18.3



### RAS-780

RAS-780-830\_RSH-AS-780-PW-PW

Beam (Degrees) 136


Spacing Criterion 1.40

Direct Component 4,067

Indirect Component 1,103

**Total Lumens 5,170**

UGR (70/50/20; X=4H, Y=8H) 18.1



### RAS-1000

RAS-1000-830\_RSH-AS-1000-PW-PW

Beam (Degrees) 136

Spacing Criterion 1.40

Direct Component 4,956

Indirect Component 1,344

**Total Lumens 6,300**

UGR (70/50/20; X=4H, Y=8H) 17.4

